Page 1/9

Safety	Data Sheet
	00114 1100



acc. to OSHA HCS Printing date 12/06/2022 Version 2 Reviewed on 12/06/2022 **1** Identification **Product identifier DOLO 10 BED** Trade name: Application of the substance / the mixture Raw material Details of the supplier of the safety data sheet Manufacturer/Supplier: **RHI** Magnesita GmbH Kranichberggasse 6 1120 Vienna Austria T +43 50213 0 rhimagnesita.com Information department: msds@rhimagnesita.com T +43 502 13 5426 msds@rhimagnesita.com T +43 502 13 5426 Compliance Department: 717-793-5463 **Emergency telephone number:** RHI Magnesita: +43 50213 5426 Chemtrec: 800-424-9300 Magnesita: 717-793-5463 2 Hazard(s) identification

#### Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. (Additional information for shaped products: The cancer risk occurs only in the presence of dust) Label elements **GHS** label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS08 Signal word Danger Hazard-determining components of labeling: quartz (SiO2) **Hazard statements** H350 May cause cancer. (Additional information for shaped products: The cancer risk occurs only in the presence of dust) **Precautionary statements** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.

\*

\*

## Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 12/06/2022

Trade name: DOLO 10 BED

Printing date 12/06/2022

rade name: DOLO 10 BED	
	(Contd. of page P280 Wear protective gloves/protective clothing/eye protection/face
	protection.P308+P313 IF exposed or concerned: Get medical advice/attention.P405Store locked up.P501Dispose of contents/container in accordance with local/regional/
Additional information:	national/international regulations. Respirators should be used if dust / fume is present. A respiratory protection program should be implemented if exposure exceeds the American Conference of Govermantal Industrial Hygenists (ACGIH)
Harzard description	<ul> <li>defined Time Weighted Average (TWA)</li> <li>Do not breathe dust.</li> <li>In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Wear suitable protective clothing, gloves and eye/face protection.</li> <li>In case of accident or if you feel unwell, seek medical advice immediately.</li> <li>If swallowed, seek medical advice immediately and show this container or label.</li> <li>In case of accident by inhalation: remove casualty to fresh air and keep at result swallowed, rinse mouth with water (only if the person is conscious)</li> </ul>
Classification system	
NFPA ratings (scale 0-4)	$\begin{array}{c} 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ \end{array}$ Health = 0 Fire = 0 Reactivity = 0
HMIS Classification	HEALTH*0FIRE0Fire = 0REACTIVITY0
Carcinogenicity:	not listed
Other hazards	The product contains substances for which occupational exposure limits exis It is therefore imperative that the information in Section 8 is also taken into account.
	See section 11.
3 Composition/information on ingredie	ents
Chemical characterization: Mixtures Description: Components:	Raw material
CAS: 16389-88-1 dolomite	60-100
Dangerous components:	
CAS: 14808-60-7 quartz (SiO2) ♦ Carcinogenicity 1A, H350	0.1-1
Additional information	In order to avoid dust during installation, the technical possibilities available a the site should be used. Please observe the instructions for personal protective equipment given in section 8.
4 First-aid measures	
Description of first aid measures After inhalation	Supply fresh air; consult doctor in case of complaints.

Version 2

acc. to OSHA HCS

Printing date 12/06/2022

Reviewed on 12/06/2022

#### Trade name: DOLO 10 BED

	(Contd. of page 2)
After skin contact	Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.
After eye contact	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing	If symptoms persist consult doctor.
Information for doctor / Note to physicians Most important symptoms and effects, both	
acute and delayed: Indication of any immediate medical	No further relevant information available.
attention and special treatment needed:	No further relevant information available.
5 Fire-fighting measures	
Extinguishing media	

Extinguishing media	
For safety reasons unsuitable extinguishing	Not applicable, the product is fire registent
agents	Not applicable, the product is fire resistant.
Special hazards arising from the	
substance or mixture	No further relevant information available.
Advice for firefighters	
Protective equipment / Protection of	
firefighters:	No special measures required.
Harzardous combustion products	Will not occur.
Flammable properties	The product is fire resistant.
	Not flammable.
Additional information:	Additional information see section 9.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	See section 8.
Environmental precautions:	See section 12.
Methods and material for containment and cleaning up:	Pick up mechanically.
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
Protective Action Criteria for Chemicals PAC-1:	
CAS: 14808-60-7 quartz (SiO2): 0.075 mg/m³ <b>PAC-2:</b>	
CAS: 14808-60-7 quartz (SiO2): 33 mg/m³ <b>PAC-3:</b>	
CAS: 14808-60-7 quartz (SiO2): 200 mg/m³	

#### 7 Handling and storage

#### Handling Precautions for safe handling

Avoid inhalation or ingestion and contact with skin and eyes. General occupational hygiene measures are required to ensure safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no drinking, eating and smoking at the workplace. Shower and change clothes at end of (Contd. on page 4)

\*

# Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 12/06/2022

### Printing date 12/06/2022

Trade name: DOLO 10 BED

ade name: DOLO 10 BED	
	(Contd. of page work shift. Do not wear contaminated clothing at home.
	Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations
Information about protection against explosions and fires:	The product is not flammable.
Conditions for safe storage, including any	y incompatibilities
Storage Requirements to be met by storerooms and receptacles: Information about storage in one common storage facility: Further information about storage conditions: Specific end use(s)	No special requirements. Not applicable. None. No further relevant information available.
	-
8 Exposure controls/personal protectio	n
Additional information about design of technical systems:	No further data; see item 7.
Control parameters	
Exposure Guidelines (Components with limit	t values that require monitoring at the workplace):
CAS: 14808-60-7 quartz (SiO2) (0.1-1%) PEL Long-term value: 0.05* mg/m <sup>3</sup> *resp. dust; 30mg/m3/%SiO2+2 REL Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025* mg/m <sup>3</sup> *respirable particulate matter, A2 Additional information:	The lists that were valid during the creation were used as basis.
Exposure controls	
Personal protective equipment (PPE) General protective and hygienic measures Respiratory protection / Breathing equipment:	Wash hands before breaks and at the end of work. NIOSH approved respirators should be used if dust is present. A respiratory protection program should be implemented if exposure exceeds OSHA PELs Use suitable respiratory protective device when high concentrations are present during cutting, grinding, mixing and sanding
Respiratory protection	Filter P100
Protection of hands:	Protective gloves.
Eye/face protection:	Safety glasses with side shields
	(Contd. on page

acc. to OSHA HCS

Printing date 12/06/2022

Reviewed on 12/06/2022

#### Trade name: DOLO 10 BED

(Contd. of page 4) Skin protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties **General Information Appearance:** Form (Physical state): Solid Color: Dark Odor: Odorless **Odor threshold:** Not determined. pH-value: Not applicable. Melting point / Melting range: Not determined. Not applicable. Flash point: Not applicable. Flammability (solid, gaseous) Product is not flammable. See section 5. Ignition temperature: Not applicable. **Decomposition temperature:** Not applicable. Not determined. Auto igniting: Product is not self igniting. Not determined. Danger of explosion: Product does not present an explosion hazard. **Explosion limits:** Lower: Not applicable. **Upper:** Not applicable. Vapor pressure: Not applicable. **Relative density** Not applicable. Not determined. Vapor density Not applicable. **Evaporation rate** Not applicable. Not applicable. Solubility in / Miscibility with Not applicable. Water: Soluble Partition coefficient (n-octanol/water): Not applicable. Not determined. Viscosity: Not applicable. dynamic: Not applicable. kinematic: Not applicable. (Contd. on page 6)

– US –

#### acc. to OSHA HCS Version 2

Printing date 12/06/2022

#### Trade name: DOLO 10 BED

Additional information

Other information

CAS: 14808-60-7 guartz (SiO2): 1 NTP (National Toxicology Program)

CAS: 14808-60-7 quartz (SiO2): K **OSHA-Ca** (Occupational Safety & Health Administration)

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. of page 5)

Melting Point: NA Freezing Point: NA Viscosity (and units): NA Odor Threshold (ppm): NA Evaporation Rate (relative to): NA Vapor Density (air =1): NA Vapor Pressure (units): NA pH (undiluted): NA pH (diluted): NA % dilution: NA VOC Content: NA % Volatile: NA PM Content: NA

#### 10 Stability and reactivity

Reactivity **Chemical stability Conditions to avoid (Thermal** decomposition): Possibility of hazardous reactions **Conditions to avoid** Incompatible materials: Hazardous decomposition products: Additional information:

No further relevant information available.

No decomposition if used and stored according to specifications. No dangerous reactions known No further relevant information available. No further relevant information available. No dangerous decomposition products known Refractories that contain silica in different forms may contain more or less crystalline silica after service life. Care must be taken to control dust during demolition. For proper protection find information in this document and ask the local EH&S responsible.

#### **11** Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: **Primary irritant effect:** on the skin: on the eye: Allergic reaction: Additional toxicological information:

Not applicable.

If this product has been in service at temperatures greater than 1000°C (1800°F) it may contain cristobalite, a form of crystalline silica. IARC has classified crystalline silica, which includes cristobalite, as a group I carcinogen (known human carcinogen).

**Carcinogenic categories** 

No irritant effect. No irritating effect. No known allergic reaction.

acc. to OSHA HCS

Printing date 12/06/2022

Trade name: DOLO 10 BED

(Contd. of page 6)

Reviewed on 12/06/2022

#### **12** Ecological information

Toxicity Aquatic toxicity: Persistence and degradability Behavior in environmental systems: Bioaccumulative potential Mobility in soil Results of PBT and vPvB assessment PBT: vPvB: Other adverse effects

No further relevant information available. No further relevant information available.

No further relevant information available. No further relevant information available.

Not applicable. Not applicable. No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods Recommendation

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

Uncleaned packagings: Recommendation:

#### 14 Transport information

UN-Number	
DOT, ADR, ADN, IMDG, IATA	not applicable
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA Transport hazard class(es)	not applicable
DOT, ADR, ADN, IMDG, IATA Class	not applicable
Packing group	
DOT, ADR, IMDG, IATA	not applicable
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Hazard identification number (Kemler code	e): Not applicable.
Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to available informations.
UN "Model Regulation":	not applicable

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**TSCA (Toxic Substances Control Act):** 

All components have the value ACTIVE. Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 8)

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/06/2022

Version 2

Reviewed on 12/06/2022

### Trade name: DOLO 10 BED

		(Contd. of page 7)
Proposition 65 Chemicals known to cause cancer:		
CAS: 14808-60-7 quartz (SiO2)		
Chemicals known to cause reproductive t	toxicity for fe	males:
None of the ingredients is listed.		
Chemicals known to cause reproductive t	toxicity for m	ales:
None of the ingredients is listed.		
Chemicals known to cause developmenta	al toxicity:	
None of the ingredients is listed.		
Additional classification according to Decree on Hazardous Materials	cancer ager	MAY CONTAIN CRYSTALLINE SILICA, an IARC and NTP listed nt. Prolonged or repeated inhalation of dust from products rystalline silica can cause silicosis or cancer.
Cancerogenity categories EPA (Environmental Protection Agency)		
None of the ingredients is listed. TLV (Threshold Limit Value)		
CAS: 14808-60-7 quartz (SiO2): A2 MAK (German Maximum Workplace Conc	entration)	
CAS: 14808-60-7 quartz (SiO2): 1		
NIOSH-Ca (National Institute for Occupati	ional Safety a	ind Health)
CAS: 14808-60-7 quartz (SiO2) GHS label elements	The product System (GF	is classified and labeled according to the Globally Harmonized
Hazard pictograms	GHS08	
Signal word	Danger	
Hazard-determining components of labeling:	quartz (SiO	2)
Hazard statements	(Addit	ause cancer. ional information for shaped products: The cancer risk occurs only presence of dust)
Precautionary statements	P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	P280 P308+P313 P405	Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Store locked up.
	P501	Dispose of contents/container in accordance with local/regional/ national/international regulations.
		(Contd. on page 9)

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/06/2022

Version 2

Reviewed on 12/06/2022

Trade name: DOLO 10 BED

(Contd. of page 8)

US

National regulations:	
SARA 313 TOXIC CHEMICALS	
No material listed in the components in Section 3 of this SDS is on the SARA 313 list. SARA 302 EXTREMELY HAZARDOUS SUBSTANCES	
No material listed in the components in Sect TSCA (Toxic Substances Control Act HMIS Classification	
Other information	
	owledge. However, this shall not constitute a guarantee for any specific product id contractual relationship.
Department issuing SDS:	RHI Feuerfest GmbH Technology Center Chemistry Department Austria T +43 502 13 5426 msds@rhimagnesita.com
Contact:	for USA: Brian Plaskett EHS Manager T: 519 318-5401 brian.plaskett@rhimagnesita.com
ref.:	
Date of preparation / last revision Abbreviations and acronyms:	12/06/2022 ADR: Accord relatif au transport international des marchandises dangereuses par route (Eur Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
	IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit